| Bhattacharyya, A.R., P. Pötschke, M. Abdel-Goad and D. Fischer, Effect of encapsulated SWNT | |
|---|----------------|
| on the mechanical properties of melt mixed PA12/SWNT composites | 392 (2004) 28 |
| Birgerson, J., M. Keil, Y. Luo, S. Svensson, H. Agren and W.R. Salaneck, A study of the electronic | |
| structure of ethylenedioxythiophene in gas phase using NEXAFS and quantum chemical | |
| calculations | 392 (2004) 100 |
| Björneholm, O., see Lundwall, M. | 392 (2004) 433 |
| Björnström, J., A. Martinelli, A. Matic, L. Börjesson and I. Panas, Accelerating effects of colloidal | |
| nano-silica for beneficial calcium-silicate-hydrate formation in cement | 392 (2004) 242 |
| Boguslavskiy, A.E., see Ding, H. | 392 (2004) 225 |
| Börjesson, L., see Björnström, J. | 392 (2004) 242 |
| Breckenridge, W.H., see Wang, J. | 392 (2004) 62 |
| Bregant, M., G. Cantatore, S. Carusotto, R. Cimino, F. Della Valle, G. Di Domenico, U. Gastaldi, M. Karuza, E. Milotti, E. Polacco, G. Ruoso, E. Zavattini and G. Zavattini, Measurement of the Cotton-Mouton effect in krypton and xenon at 1064 nm with the PVLAS | |
| apparatus | 392 (2004) 276 |
| Brédas, J.L., see Marsal, P. | 392 (2004) 521 |
| Bu, X. and C. Zhong, Ab initio analysis of geometric structures of BeHe _n ⁺ $(n = 1-12)$ clusters | 392 (2004) 181 |
| Buntinx, G., see Burdzinski, G. | 392 (2004) 470 |
| Burdzinski, G., G. Buntinx, O. Poizat, P. Toele, H. Zhang and M. Glasbeek, Femtosecond studies | |
| of orientational anisotropy decay of benzopyranthione in the excited S_2 state in hydrocarbons | 392 (2004) 470 |
| Caminati, W., A. Millemaggi, J.L. Alonso, A. Lesarri, J.C. López and S. Mata, Molecular beam | |
| Fourier transform microwave spectrum of the dimethylether-xenon complex: tunnelling | |
| splitting and ¹³¹ Xe quadrupole coupling constants | 392 (2004) 1 |
| Cantatore, G., see Bregant, M. | 392 (2004) 276 |
| Cappelletti, D., see Albertí, M. | 392 (2004) 514 |
| Carbonniere, P. and V. Barone, Coriolis couplings in variational computations of vibrational | 372 (2001) 311 |
| spectra beyond the harmonic approximation: implementation and validation | 392 (2004) 365 |
| Carusotto, S., see Bregant, M. | 392 (2004) 276 |
| Casarin, M., D. Falcomer and A. Vittadini, Interstitial O ₃ in silica: a molecular cluster density | 272 (2001) 210 |
| functional study | 392 (2004) 146 |
| Castaño, F., see Redondo, C. | 392 (2004) 116 |
| Castro, A., see Albertí, M. | 392 (2004) 514 |
| Castro, M.A., see Andrade, O.P. | 392 (2004) 270 |
| Chakrabarty, D., P. Hazra, A. Chakraborty and N. Sarkar, Dynamics of solvation and rotational | |
| relaxation in neutral Brij 35 and Brij 58 micelles | 392 (2004) 340 |
| Chakraborty, A., see Chakrabarty, D. | 392 (2004) 340 |
| Chan, G.KL., see Hachmann, J. | 392 (2004) 55 |
| Chanda, J. and S. Bandyopadhyay, Distribution of ethanol in a model membrane: a computer | |
| simulation study | 392 (2004) 249 |
| Chávez, F.V., R.H. Acosta and D.J. Pusiol, Molecular dynamics above the smectic A-isotropic | |
| phase transition of thermotropic liquid crystals studied by NMR | 392 (2004) 403 |
| Choi, CH., see Lee, YH. | 392 (2004) 319 |
| Chung, S.S., see Sung, D.D. | 392 (2004) 378 |
| Cimino, R., see Bregant, M. | 392 (2004) 276 |
| Corio, P., A. Jorio, N. Demir and M.S. Dresselhaus, Spectro-electrochemical studies of single wall | |
| carbon nanotubes films | 392 (2004) 396 |
| Costa, A., see Garau, C. | 392 (2004) 85 |
| Czernek, J., Imidazopyridopyrimidine base pairing motifs consisting of four hydrogen bonds: a | 392 (2004) 508 |
| quantum chemical study | 392 (2004) 308 |
| D'Angelo, F., see Valentini, L. | 392 (2004) 214 |
| Dagdigian, P.J., see Tao, C. | 392 (2004) 151 |
| da Silva Filho, D.A., see Marsal, P. | 392 (2004) 521 |
| Della Valle, F., see Bregant, M. | 392 (2004) 276 |
| Demir, N., see Corio, P. | 392 (2004) 396 |
| | |

| D 14 011 14 | 202 (2004) 220 |
|--|---------------------------------|
| Demura, M., see Shibata, M. | 392 (2004) 330 |
| Deyà, P.M., see Garau, C. Di Domenico, G., see Bregant, M. | 392 (2004) 85 392 (2004) 276 |
| Ding, H., A.E. Boguslavskiy, T.W. Schmidt and J.P. Maier, Gas phase electronic spectrum of the | 392 (2004) 270 |
| nitrogen terminated nanowire NC ₁₆ N | 392 (2004) 225 |
| Dou, Y., B.R. Torralva and R.E. Allen, Interplay of electronic and nuclear degrees of freedom in a | 572 (2001) 225 |
| femtosecond-scale photochemical reaction | 392 (2004) 352 |
| Drake, K.O., see Pickup, D.M. | 392 (2004) 503 |
| Dresselhaus, M.S., see Jiang, J. | 392 (2004) 383 |
| Dresselhaus, G., see Jiang, J. | 392 (2004) 383 |
| Dresselhaus, M.S., see Corio, P. | 392 (2004) 396 |
| Du, D., A. Fu and Z. Zhou, Chiral discrimination in the hydrogen bonding complexes of the R- | |
| OOH ($R = H$ and CH_3) dimer | 392 (2004) 162 |
| Duan, X., see Kar, T. | 392 (2004) 176 |
| Duncan, M.A., see Jaeger, T.D. | 392 (2004) 409 |
| | |
| Ecija, P., see Redondo, C. | 392 (2004) 116 |
| Enyashin, A.N., V.V. Ivanovskaya, Yu.N. Makurin, V.L. Volkov and A.L. Ivanovskii, Electronic | 202 (2004) 555 |
| properties of Mo-doped cylindrical and scroll-like divanadium pentoxide nanotubes | 392 (2004) 555 |
| Era, M., see Sato, F. | 392 (2004) 565 |
| Ezra, G.S., see Arango, C.A. | 392 (2004) 486 |
| Falcomer, D., see Casarin, M. | 392 (2004) 146 |
| Fang, J., H. You, J. Gao and D. Ma, Improved efficiency by a fluorescent dye in red organic light- | 392 (2004) 140 |
| emitting devices based on a europium complex | 392 (2004) 11 |
| Fauth, K., S. Gold, M. Heßler, N. Schneider and G. Schütz, Cluster surface interactions: small Fe | 392 (2004) 11 |
| clusters driven nonmagnetic on graphite | 392 (2004) 498 |
| Fayer, M.D., see McClain, B.L. | 392 (2004) 324 |
| Feifel, R., see Lundwall, M. | 392 (2004) 433 |
| Ferguson, M.J., see Meloni, G. | 392 (2004) 90 |
| Fielicke, A., see Jaeger, T.D. | 392 (2004) 409 |
| Fink, R., see Schöll, A. | 392 (2004) 297 |
| Finkelstein, I.J., see McClain, B.L. | 392 (2004) 324 |
| Fischer, D., see Bhattacharyya, A.R. | 392 (2004) 28 |
| Flores, J.R., A theoretical study of the electronic spectra of the SiC ₂ H radical | 392 (2004) 196 |
| Fonseca, T.L., see Andrade, O.P. | 392 (2004) 270 |
| Freund, HJ., see Immaraporn, B. | 392 (2004) 127 |
| Frontera, A., see Garau, C. | 392 (2004) 85 |
| Fu, A., see Du, D. | 392 (2004) 162 |
| Fujii, A., see Ibuki, T. | 392 (2004) 303 |
| Fujii, R., see Nishimura, K. | 392 (2004) 68 |
| Fujitsuka, M., see Tachikawa, T. | 392 (2004) 50 |
| Fukunishi, Y., see Kim, J.G. | 392 (2004) 34 |
| Fung, M.K., S.L. Lai, S.W. Tong, S.N. Bao, C.S. Lee and S.T. Lee, Interface gap states of 8- | |
| hydroxyquinoline aluminum induced by cesium metal | 392 (2004) 40 |
| Futami, Y., see Nagata, M. | 392 (2004) 259 |
| Calab DTA and Harbonna I | 202 (2004) 55 |
| Galek, P.T.A., see Hachmann, J. | 392 (2004) 55 |
| Gan, F., see Wei, J. | 392 (2004) 415 |
| Gao, J., see Fang, J. | 392 (2004) 11 |
| Garamus, V.M., G. Milkereit, S. Gerber and V. Vill, Micellar structure of a sugar based | 202 (2004) 107 |
| bolaamphiphile in pure solution and destabilizing effects in mixtures of glycolipids | 392 (2004) 105 |
| Garau, C., A. Frontera, D. Quiñonero, P. Ballester, A. Costa and P.M. Deyà, Cation-π versus | |
| anion- π interactions: a comparative ab initio study based on energetic, electron charge density and aromatic features | 302 (2004) 95 |
| Gasmi, K., see Morato, M. | 392 (2004) 85 392 (2004) 255 |
| Casan, and Montato, M. | 372 (2004) 233 |

| | *** |
|--|---|
| Gastaldi, U., see Bregant, M. | 392 (2004) 276 |
| Gaveau, MA., see Wang, J. | 392 (2004) 62 |
| Gerber, S., see Garamus, V.M. | 392 (2004) 105 |
| Gerenkamp, M. and S. Grimme, Spin-component scaled second-order Møller-Plesset perturba- | |
| tion theory for the calculation of molecular geometries and harmonic vibrational | 202 (2004) 220 |
| frequencies Citch B. and School of T. | 392 (2004) 229 |
| Gilch, P., see Schrader, T. | 392 (2004) 358 |
| Glasbeek, M., see Burdzinski, G. | 392 (2004) 470 |
| Gloaguen, E., see Wang, J. | 392 (2004) 62 |
| Gold, S., see Fauth, K. | 392 (2004) 498 |
| Gomez, H., see Meloni, G. | 392 (2004) 90 |
| Gomperts, R., see Praña, B. | 392 (2004) 236 |
| Gondal, M.A., A. Hameed, Z.H. Yamani and A. Arfaj, Photocatalytic transformation of methane | 202 (2004) 272 |
| into methanol under UV laser irradiation over WO ₃ , TiO ₂ and NiO catalysts | 392 (2004) 372 |
| Gong, Q., see Xiang, H. | 392 (2004) 80 |
| González Ureña, A., see Morato, M. | 392 (2004) 255 |
| Grüneis, A., see Jiang, J. | 392 (2004) 383 |
| Grimme, S., see Gerenkamp, M. | 392 (2004) 229 |
| Guo, Z., see Xiang, H. | 392 (2004) 80 |
| Hachmann, J., P.T.A. Galek, T. Yanai, G.KL. Chan and N.C. Handy, The nodes of Hartree- | |
| Fock wavefunctions and their orbitals | 392 (2004) 55 |
| Hamaguchi, Ho., see Katayanagi, H. | 392 (2004) 460 |
| Hameed, A., see Gondal, M.A. | 392 (2004) 372 |
| Han, KL., see Sun, JL. | 392 (2004) 285 |
| Han, J., H. Xu, Z. Zhu, X. Yu and W. Li, Terahertz spectroscopy of naphthalene, α-naphthol, β- | , |
| naphthol, biphenyl and anthracene | 392 (2004) 348 |
| Handy, N.C., see Hachmann, J. | 392 (2004) 55 |
| Hane, H., see Hirasawa, M. | 392 (2004) 390 |
| Hayashi, S., see Katayanagi, H. | 392 (2004) 460 |
| Hazra, P., see Chakrabarty, D. | 392 (2004) 340 |
| Heilweil, E.J., see Witte, T. | 392 (2004) 156 |
| Heßler, M., see Fauth, K. | 392 (2004) 498 |
| Hino, M., see Ibuki, T. | 392 (2004) 303 |
| Hirasawa, M., Y. Sakazaki, H. Hane and T. Kobayashi, Direct observation of vibrational | |
| dynamics in tin phthalocyanine | 392 (2004) 390 |
| Hotokka, M., see Wright, T.G. | 392 (2004) 281 |
| Hu, Z., see Long, X. | 392 (2004) 192 |
| Huang, W., see Xiang, H. | 392 (2004) 80 |
| Hu, Y.F., see Kim, P.G. | 392 (2004) 44 |
| Husain, D., see Redondo, C. | 392 (2004) 116 |
| Hübner, D., see Schöll, A. | 392 (2004) 297 |
| Ibuki, T., Y. Shimada, S. Nagaoka, A. Fujii, M. Hino, T. Kakiuchi, K. Okada, K. Tabayashi, T. | |
| Matsudo, Y. Yamana, I.H. Suzuki and Y. Tamenori, Total photoabsorption cross-sections of | |
| CF ₃ SF ₅ in the C, F and S K-shell regions | 392 (2004) 303 |
| Igarashi, H., H. Murakami, Y. Murakami, S. Maruyama and N. Nakashima, Purification and | |
| characterization of zeolite-supported single-walled carbon nanotubes catalytically synthesized | |
| from ethanol | 392 (2004) 529 |
| Ihara, K., see Shibata, M. | 392 (2004) 330 |
| Ikeda, S., see Torimoto, T. | 392 (2004) 220 |
| Illenberger, E., see Pelc, A. | 392 (2004) 465 |
| Immaraporn, B., N. Magg, S. Kaya, J. Wang, M. Bäumer and HJ. Freund, CO Adsorption study | |
| of V/SiO ₂ : the low vanadium coverage regime | 392 (2004) 127 |
| Irving, D.L., S.B. Sinnott and A.S. Lindner, Corrigendum to: 'Interaction of functionalized | |
| benzene molecules with carbon nanopores' [Chem. Phys. Lett. 389 (2004) 96] | 392 (2004) 567 |

| Ishida, T., see Kurokawa, G. | 392 (2004) 74 |
|--|----------------|
| Ivanovskaya, V.V., see Enyashin, A.N. | 392 (2004) 555 |
| Ivanovskii, A.L., see Enyashin, A.N. | 392 (2004) 555 |
| Jaeger, T.D., A. Fielicke, G. von Helden, G. Meijer and M.A. Duncan, Infrared spectroscopy of | |
| water adsorption on vanadium cluster cations (V_x^+ ; $x = 3-18$) | 392 (2004) 409 |
| Jang, YT., see Lee, YH. | 392 (2004) 319 |
| Ji, L., see Tang, Y. | 392 (2004) 493 |
| Jiang, J., R. Saito, A. Grüneis, G. Dresselhaus and M.S. Dresselhaus, Electron-phonon | () |
| interaction and relaxation time in graphite | 392 (2004) 383 |
| Jorio, A., see Corio, P. | 392 (2004) 396 |
| Ju, BK., see Lee, YH. | 392 (2004) 319 |
| | |
| Kaiser, R.I., see Sillars, D. | 392 (2004) 541 |
| Kakiuchi, T., see Ibuki, T. | 392 (2004) 303 |
| Kallush, S., see Band, Y.B. | 392 (2004) 23 |
| Kandori, H., see Shibata, M. | 392 (2004) 330 |
| Kar, T., B. Akdim, X. Duan and R. Pachter, A theoretical study of functionalized single-wall | |
| carbon nanotubes: ONIOM calculations | 392 (2004) 176 |
| Karuza, M., see Bregant, M. | 392 (2004) 276 |
| Kashiwagi, H., see Sato, F. | 392 (2004) 565 |
| Kataura, H., see Nishide, D. | 392 (2004) 309 |
| Katayanagi, H., S. Hayashi, Ho. Hamaguchi and K. Nishikawa, Structure of an ionic liquid, 1-n-butyl-3-methylimidazolium iodide, studied by wide-angle X-ray scattering and Raman | |
| spectroscopy | 392 (2004) 460 |
| Kato, T. and H. Kono, Time-dependent multiconfiguration theory for electronic dynamics of | () |
| molecules in an intense laser field | 392 (2004) 533 |
| Kawahara, Y., see Torimoto, T. | 392 (2004) 220 |
| Kawamura, H., see Akahama, Y. | 392 (2004) 476 |
| Kaya, S., see Immaraporn, B. | 392 (2004) 127 |
| Keil, M., see Birgerson, J. | 392 (2004) 100 |
| Keinan, S., M.A. Ratner and T.J. Marks, Molecular zippers - designing a supramolecular system | 392 (2004) 291 |
| Kennerly, W.W., see Arango, C.A. | 392 (2004) 486 |
| Kenny, J.M., see Valentini, L. | 392 (2004) 214 |
| Kim, J.G., Y. Fukunishi and H. Nakamura, Average energy guided simulated tempering | |
| implemented into molecular dynamics algorithm for protein folding simulation | 392 (2004) 34 |
| Kim, JY., see Sung, D.D. | 392 (2004) 378 |
| Kim, P.G., N.O. Petersen, T.K. Sham and Y.F. Hu, Soft X-ray excited optical luminescence | |
| (XEOL) studies of fluorescein isothiocyanate (FITC) and FITC-labeled proteins | 392 (2004) 44 |
| Kim, DH., see Lee, YH. | 392 (2004) 319 |
| King, G.C., see Yencha, A.J. | 392 (2004) 202 |
| Kobayashi, T., see Hirasawa, M. | 392 (2004) 390 |
| Kobayashi, T., see Nishimura, K. | 392 (2004) 68 |
| Kobko, N., A. Masunov and S. Tretiak, Calculations of the third-order nonlinear optical | |
| responses in push-pull chromophores with a time-dependent density functional theory | 392 (2004) 444 |
| Koga, T. and H. Matsuyama, Bounds to average cosines $\langle \cos \theta_{12} \rangle$ in the Hartree–Fock theory of atoms | 392 (2004) 561 |
| Kokubo, H. and Y. Okamoto, Self-assembly of transmembrane helices of bacteriorhodopsin by a | (, |
| replica-exchange Monte Carlo simulation | 392 (2004) 168 |
| Koller, F., see Schrader, T. | 392 (2004) 358 |
| Kompa, KL., see Witte, T. | 392 (2004) 156 |
| Kono, H., see Kato, T. | 392 (2004) 533 |
| Koyama, Y., see Nishimura, K. | 392 (2004) 68 |
| Král, P., see Segal, D. | 392 (2004) 314 |
| Kudoh, S., see Akai, N. | 392 (2004) 480 |

| Internal Physics 2 (1976) 200 076 | 3/3 |
|---|----------------|
| Kudoh, S., see Nagata, M. | 392 (2004) 259 |
| Kurokawa, G., T. Ishida and T. Nogami, Remarkably strong intermolecular antiferromagn | etic |
| couplings in the crystal of biphenyl-3,5-diyl bis(tert-butyl nitroxide) | 392 (2004) 74 |
| Lázar I.C. and Caminasi W. | 202 (2004) 1 |
| López, J.C., see Caminati, W. | 392 (2004) 1 |
| Laganà, A., see Albertí, M. | 392 (2004) 514 |
| Lai, S.L., see Fung, M.K. | 392 (2004) 40 |
| Lee, E.P.F. and T.G. Wright, Preliminary calculations on the Na-N ₂ complex | 392 (2004) 187 |
| Lee, C.S., see Fung, M.K. | 392 (2004) 40 |
| Lee, E.P.F., see Wright, T.G. | 392 (2004) 281 |
| Lee, I., see Sung, D.D. | 392 (2004) 378 |
| Lee, YH., CW. Lee, DH. Kim, YT. Jang, CH. Choi, KS. Shin and BK. Ju, Gating et of suspended multiwalled carbon nanotube with all-shell rooted from electrodes: para | allel |
| growth from ferromagnetic catalytic contact | 392 (2004) 319 |
| Lee, CW., see Lee, YH. | 392 (2004) 319 |
| Lee, S.T., see Fung, M.K. | 392 (2004) 40 |
| Lesarri, A., see Caminati, W. | 392 (2004) 1 |
| Li, Y.P. and Q.S. Li, Simulation of explicit internal signal stochastic resonance in a qualita | ative |
| model for intercellular calcium ion oscillations | 392 (2004) 95 |
| Li, Z., see Xiang, H. | 392 (2004) 80 |
| Li, W., see Han, J. | 392 (2004) 348 |
| Li, Q.S., see Li, Y.P. | 392 (2004) 95 |
| Lin, Z., see Long, X. | 392 (2004) 192 |
| Lindblad, A., see Lundwall, M. | 392 (2004) 433 |
| Lindgren, A., see Lundwall, M. | 392 (2004) 433 |
| Lindner, A.S., see Irving, D.L. | 392 (2004) 567 |
| Liu, H., see Sun, JL. | 392 (2004) 285 |
| Liu, D., see Xiang, H. | 392 (2004) 80 |
| Liu, Z., see Sawada, T. | 392 (2004) 334 |
| | 392 (2004) 90 |
| Liu, Z., see Meloni, G. | |
| Long, X., Z. Lin, Z. Hu and G. Wang, Polarized spectral characteristics and energy level | |
| Cr ³⁺ :LaSc ₃ (BO ₃) ₄ crystal | 392 (2004) 192 |
| Lucotti, A., C. Bertarelli and G. Zerbi, 'Optical' fatigue in a solid state diarylethene polyme | |
| Lundwall, M., M. Tchaplyguine, G. Ohrwall, R. Feifel, A. Lindblad, A. Lindgren, S. Sörense | |
| Svensson and O. Björneholm, Radial surface segregation in free heterogeneous argon/kry | |
| clusters | 392 (2004) 433 |
| Luo, Y., see Birgerson, J. | 392 (2004) 100 |
| Machado, M., P. Piquini and R. Mota, Charge distributions in BN nanocones: electric field | and |
| tip termination effects | 392 (2004) 428 |
| * | 392 (2004) 127 |
| Magg, N., see Immaraporn, B. Maier, J.P., see Ding, H. | 392 (2004) 225 |
| | |
| Majima, T., see Tachikawa, T. | 392 (2004) 50 |
| Ma, D., see Fang, J. | 392 (2004) 11 |
| Makurin, Yu.N., see Enyashin, A.N. | 392 (2004) 555 |
| Malins, A.E.R., see Yencha, A.J. | 392 (2004) 202 |
| Marks, T.J., see Keinan, S. | 392 (2004) 291 |
| Marsal, P., I. Avilov, D.A. da Silva Filho, J.L. Brédas and D. Beljonne, Molecular hosts for tr | |
| emission in light emitting diodes: A quantum-chemical study | 392 (2004) 521 |
| Martinelli, A., see Björnström, J. | 392 (2004) 242 |
| Martínez, J. and A. Toro-Labbé, Energy and chemical force profiles from the Marcus equa | |
| Maruyama, S., see Igarashi, H. | 392 (2004) 529 |
| Masunov, A., see Kobko, N. | 392 (2004) 444 |
| Mata, S., see Caminati, W. | 392 (2004) 1 |
| Matic, A., see Björnström, J. | 392 (2004) 242 |
| Matsudo, T., see Ibuki, T. | 392 (2004) 303 |
| | |

| Matsumoto, Y., see Sawada, T. | 392 (2004) 334 |
|--|-------------------|
| Matsuyama, H., see Koga, T. | 392 (2004) 561 |
| Märk, T.D., see Pelc, A. | 392 (2004) 465 |
| McClain, B.L., I.J. Finkelstein and M.D. Fayer, Vibrational echo experiments on red blood cells: | |
| Comparison of the dynamics of cytoplasmic and aqueous hemoglobin | 392 (2004) 324 |
| Meijer, G., see Jaeger, T.D. | 392 (2004) 409 |
| Meloni, G., M.J. Ferguson, S.M. Sheehan, H. Gomez, Z. Liu and D.M. Neumark, Probing the | |
| connection between cluster and bulk electronic structure of InP using vacuum ultraviolet anion | |
| photoelectron spectroscopy | 392 (2004) 90 |
| Menyhárd, D.K., Electron transfer between the heme bound oxygen and the tetrahydrobiopterin | |
| cofactor of nitric oxide synthase: a DFT study | 392 (2004) 439 |
| Mestdagh, JM., see Wang, J. | 392 (2004) 62 |
| Milkereit, G., see Garamus, V.M. | 392 (2004) 105 |
| Millemaggi, A., see Caminati, W. | 392 (2004) 1 |
| Milotti, E., see Bregant, M. | 392 (2004) 276 |
| Mitrasinovic, P.M., Invariant description of the behavior of electrons in donor-acceptor molecules | 392 (2004) 419 |
| Miyamoto, Y., S. Berber, M. Yoon, A. Rubio and D. Tománek, Can photo excitations heal | |
| defects in carbon nanotubes? | 392 (2004) 209 |
| Montero, C., see Morato, M. | 392 (2004) 255 |
| Morato, M., K. Gasmi, C. Montero and A. González Ureña, Molecular beam electric resonance | |
| without A and B fields: NO versus (NO)2 depletion spectra | 392 (2004) 255 |
| Mota, R., see Machado, M. | 392 (2004) 428 |
| Motzkus, M., see Witte, T. | 392 (2004) 156 |
| Muneda, N., see Shibata, M. | 392 (2004) 330 |
| Munn, R.W. and P. Petelenz, Mechanism for effective polarizability enhancement in molecular | |
| crystals: C ₆₀ | 392 (2004) 7 |
| Murakami, H., see Igarashi, H. | 392 (2004) 529 |
| Murakami, Y., see Igarashi, H. | 392 (2004) 529 |
| Nagaoka, S., see Ibuki, T. | 392 (2004) 303 |
| Nagata, M., Y. Futami, N. Akai, S. Kudoh and M. Nakata, Structure and infrared spectrum of 2- | , , |
| hydroxyphenyl radical | 392 (2004) 259 |
| Nakamura, H., see Kim, J.G. | 392 (2004) 34 |
| Nakashima, N., see Igarashi, H. | 392 (2004) 529 |
| Nakata, M., see Akai, N. | 392 (2004) 480 |
| Nakata, M., see Nagata, M. | 392 (2004) 259 |
| Neumark, D.M., see Meloni, G. | 392 (2004) 90 |
| Newport, R.J., see Pickup, D.M. | 392 (2004) 503 |
| Nicolini, C., see Valentini, L. | 392 (2004) 214 |
| Nishide, D., H. Kataura, S. Suzuki, S. Okubo and Y. Achiba, Growth of single-wall carbon | (=== (===), == : |
| nanotubes from ethanol vapor on cobalt particles produced by pulsed laser vaporization | 392 (2004) 309 |
| Nishikawa, K., see Katayanagi, H. | 392 (2004) 460 |
| Nishimura, K., F.S. Rondonuwu, R. Fujii, J. Akahane, Y. Koyama and T. Kobayashi, Sequential | 372 (2001) 100 |
| singlet internal conversion of $1B_u^+ \rightarrow 3A_g^- \rightarrow 1B_u^- \rightarrow 2A_g^- \rightarrow (1A_g^- \text{ ground})$ in all-trans-spirillox- | |
| anthin revealed by two-dimensional sub-5-fs spectroscopy | 392 (2004) 68 |
| Nogami, T., see Kurokawa, G. | 392 (2004) 74 |
| | 272 (2001) |
| Ohtani, B., see Torimoto, T. | 392 (2004) 220 |
| Okada, K., see Ibuki, T. | 392 (2004) 303 |
| Okamoto, Y., see Kokubo, H. | 392 (2004) 168 |
| Okubo, S., see Nishide, D. | 392 (2004) 309 |
| Osamura, Y., see Sillars, D. | 392 (2004) 541 |
| Ohrwall, G., see Lundwall, M. | 392 (2004) 433 |
| Pachter, R., see Kar, T. | 392 (2004) 176 |
| Panas, I., see Björnström, J. | 392 (2004) 242 |
| | |

| Park, K.H., see Sung, D.D. | 392 (2004) 378 |
|---|----------------|
| Pelc, A., W. Sailer, P. Scheier, T.D. Märk and E. Illenberger, Fragmentation of propanoic acid by | |
| subexcitation electrons | 392 (2004) 465 |
| Pennelli, G., see Valentini, L. | 392 (2004) 214 |
| Petelenz, P., see Munn, R.W. | 392 (2004) 7 |
| Petersen, N.O., see Kim, P.G. | 392 (2004) 44 |
| Pickup, D.M., F.E. Sowrey, K.O. Drake, M.E. Smith and R.J. Newport, New insights into | 272 (2001) |
| medium-range order around titanium in sol-gel derived silica through isotope difference | |
| neutron diffraction and reverse Monte Carlo modelling | 392 (2004) 503 |
| Piquini, P., see Machado, M. | 392 (2004) 428 |
| | |
| Pirani, F., see Albertí, M. | 392 (2004) 514 |
| Poizat, O., see Burdzinski, G. | 392 (2004) 470 |
| Polacco, E., see Bregant, M. | 392 (2004) 276 |
| Porrini, M., see Albertí, M. | 392 (2004) 514 |
| Portnov, A., S. Rosenwaks and I. Bar, Vibrationally mediated photodissociation of 1-butyne | |
| initially excited to the $3v_1$ state | 392 (2004) 140 |
| Pötschke, P., see Bhattacharyya, A.R. | 392 (2004) 28 |
| Praña, B., R. Gomperts and J.A. Sordo, A theoretical study on the mechanism of the reaction | |
| between Cl atoms and nitrobenzene | 392 (2004) 236 |
| Pusiol, D.J., see Chávez, F.V. | 392 (2004) 403 |
| Pyykkö, P., see Wright, T.G. | 392 (2004) 281 |
| | |
| Quiñonero, D., see Garau, C. | 392 (2004) 85 |
| Quincities, 2-1, see Small, 5- | 278 (8001) 00 |
| Ratner, M.A., see Keinan, S. | 392 (2004) 291 |
| Redondo, C., M.N. Sánchez Rayo, P. Ecija, D. Husain and F. Castaño, Collisional dynamics of | 372 (2004) 271 |
| low energy states of atomic strontium following the generation of Sr(5s5p ¹ P ₁) in the presence of | |
| Ne, Kr and Xe | 392 (2004) 116 |
| | |
| Rondonuwu, F.S., see Nishimura, K. | 392 (2004) 68 |
| Rosenwaks, S., see Portnov, A. | 392 (2004) 140 |
| Rubio, A., see Miyamoto, Y. | 392 (2004) 209 |
| Ruoso, G., see Bregant, M. | 392 (2004) 276 |
| Soiler W. see Pale A | 202 (2004) 465 |
| Sailer, W., see Pelc, A. | 392 (2004) 465 |
| Saito, R., see Jiang, J. | 392 (2004) 383 |
| Sakazaki, Y., see Hirasawa, M. | 392 (2004) 390 |
| Salaneck, W.R., see Birgerson, J. | 392 (2004) 100 |
| Sarkar, N., see Chakrabarty, D. | 392 (2004) 340 |
| Sasaki, T., see Shibata, M. | 392 (2004) 330 |
| Sato, F., T. Yoshihiro, M. Era and H. Kashiwagi, Corrigendum to: 'Calculation of all-electron | |
| wavefunction of hemoprotein cytochrome c by density functional theory' [Chem. Phys. Lett. | |
| 341 (2001) 645–651] | 392 (2004) 565 |
| Sawada, T., Z. Liu, N. Takagi, K. Watanabe and Y. Matsumoto, Reactivity of molecular oxygen: | |
| conversion of methanol to formate at low temperatures on Pt(111) | 392 (2004) 334 |
| Sánchez Rayo, M.N., see Redondo, C. | 392 (2004) 116 |
| Schöll, A., D. Hübner, Th. Schmidt, S.G. Urquhart, R. Fink and E. Umbach, Anharmonicity | |
| of the core-excited state potential of an organic molecule from NEXAFS vibronic fine | |
| structure | 392 (2004) 297 |
| Schütz, G., see Fauth, K. | 392 (2004) 498 |
| Scheier, P., see Pelc, A. | 392 (2004) 465 |
| Schmidt, Th., see Schöll, A. | 392 (2004) 297 |
| Schmidt, T.W., see Ding, H. | 392 (2004) 225 |
| Schneider, N., see Fauth, K. | 392 (2004) 498 |
| Schrader, T., A. Sieg, F. Koller, W. Schreier, Q. An, W. Zinth and P. Gilch, Vibrational relaxation | 1-1-1 |
| following ultrafast internal conversion: comparing IR and Raman probing | 392 (2004) 358 |
| Land and the same to the same | |

| Schreier, W., see Schrader, T. | 392 (2004) 358 |
|---|----------------|
| Segal, D., P. Král and M. Shapiro, Electric and magnetic-field tuning of tubular image states | 202 (2004) 214 |
| above suspended nanowires | 392 (2004) 314 |
| Sham, T.K., see Kim, P.G. | 392 (2004) 44 |
| Shapiro, M., see Segal, D. | 392 (2004) 314 |
| Sheehan, S.M., see Meloni, G. | 392 (2004) 90 |
| Shibata, M., N. Muneda, K. Ihara, T. Sasaki, M. Demura and H. Kandori, Internal water | |
| molecules of light-driven chloride pump proteins | 392 (2004) 330 |
| Shimada, Y., see Ibuki, T. | 392 (2004) 303 |
| Shimizu, S., The hydrophobic effect and the excess free energy of solvation | 392 (2004) 456 |
| Shin, KS., see Lee, YH. | 392 (2004) 319 |
| Shuqin, G., H. Baokun and L. Zuowei, Application of liquid-core optical fiber in the | |
| measurements of Fourier transform Raman spectra | 392 (2004) 123 |
| Sieg, A., see Schrader, T. | 392 (2004) 358 |
| Sillars, D., C.J. Bennett, Y. Osamura and R.I. Kaiser, Infrared spectroscopic detection of the | |
| disilenyl (Si ₂ H ₃) and d3-disilenyl (Si ₂ D ₃) radicals in silane and d4-silane matrices | 392 (2004) 541 |
| Sinnott, S.B., see Irving, D.L. | 392 (2004) 567 |
| Smith, M.E., see Pickup, D.M. | 392 (2004) 503 |
| Soep, B., see Wang, J. | 392 (2004) 62 |
| Sordo, J.A., see Praña, B. | 392 (2004) 236 |
| Sowrey, F.E., see Pickup, D.M. | 392 (2004) 503 |
| Sörensen, S., see Lundwall, M. | 392 (2004) 433 |
| Sun, Z., see Wei, J. | 392 (2004) 415 |
| Sun, JL., H. Liu, HM. Wang, KL. Han and S. Yang, Photo-induced reactions in the gaseous | 572 (2001) 115 |
| metal ion-nucleobase complex Mg ⁺ -cytosine | 392 (2004) 285 |
| Sung, D.D., JY. Kim, I. Lee, S.S. Chung and K.H. Park, Temperature dependence of the rate | 372 (2004) 203 |
| and activation parameters for <i>tert</i> -butyl chloride solvolysis: Monte Carlo simulation of | |
| confidence intervals | 392 (2004) 378 |
| Suzuki, I.H., see Ibuki, T. | 392 (2004) 378 |
| | |
| Suzuki, S., see Nishide, D. | 392 (2004) 309 |
| Svensson, S., see Birgerson, J. | 392 (2004) 100 |
| Svensson, S., see Lundwall, M. | 392 (2004) 433 |
| Tabayashi, K., see Ibuki, T. | 392 (2004) 303 |
| Tachikawa, T., S. Tojo, M. Fujitsuka and T. Majima, Direct observation of the cascade hole transfer giving free radical cations of <i>trans</i> -stilbenes during TiO ₂ photocatalytic | |
| reactions | 392 (2004) 50 |
| Tada, H., see Takada, M. | 392 (2004) 265 |
| Takada, M. and H. Tada, Low temperature scanning tunneling microscopy of phthalocyanine | 392 (2004) 203 |
| multilayers on Au(111) surfaces | 392 (2004) 265 |
| | |
| Takagi, N., see Sawada, T. | 392 (2004) 334 |
| Tamenori, Y., see Ibuki, T. | 392 (2004) 303 |
| Tang, Y., L. Ji, B. Tang, R. Zhu, S. Zhang and B. Zhang, Studies on photodissociation of alkyl | 202 (2004) 402 |
| bromides at 234 and 267 nm | 392 (2004) 493 |
| Tang, B., see Tang, Y. | 392 (2004) 493 |
| Tao, C., P.J. Dagdigian and M.H. Alexander, Experimental and theoretical investigation of the | |
| $3s \leftarrow 2p$ transition in the BNe ₂ complex | 392 (2004) 151 |
| Tchaplyguine, M., see Lundwall, M. | 392 (2004) 433 |
| Toele, P., see Burdzinski, G. | 392 (2004) 470 |
| Tojo, S., see Tachikawa, T. | 392 (2004) 50 |
| Tománek, D., see Miyamoto, Y. | 392 (2004) 209 |
| Tong, S.W., see Fung, M.K. | 392 (2004) 40 |
| Torimoto, T., Y. Aburakawa, Y. Kawahara, S. Ikeda and B. Ohtani, Light intensity dependence of the action spectra of photocatalytic reactions with anatase titanium(IV) | |
| oxide | 392 (2004) 220 |
| Toro-Labbé, A., see Martinez, J. | 392 (2004) 132 |
| and any of the manifest of | 372 (2004) 132 |

| 1000 | 0,, |
|--|----------------|
| Torralva, B.R., see Dou, Y. | 392 (2004) 352 |
| Tretiak, S., see Kobko, N. | 392 (2004) 444 |
| | |
| Umbach, E., see Schöll, A. | 392 (2004) 297 |
| Urquhart, S.G., see Schöll, A. | 392 (2004) 297 |
| Valentini, L., V. Bavastrello, I. Armentano, F. D'Angelo, G. Pennelli, C. Nicolini and J.M. | |
| Kenny, Synthesis and electrical properties of CdS Langmuir-Blodgett multilayers nanoparticles | |
| on self-assembled carbon nanotubes | 392 (2004) 214 |
| Van-Oanh, NT., see Wang, J. | 392 (2004) 62 |
| Vértesi, T. and E. Bene, Pair annihilation of conical intersections and a study to infer the | |
| phenomenon | 392 (2004) 17 |
| Vill, V., see Garamus, V.M. | 392 (2004) 105 |
| Vittadini, A., see Casarin, M. | 392 (2004) 146 |
| Volkov, V.L., see Enyashin, A.N. | 392 (2004) 555 |
| von Helden, G., see Jaeger, T.D. | 392 (2004) 409 |
| Wang, J., NT. Van-Oanh, D. Bellert, W.H. Breckenridge, MA. Gaveau, E. Gloaguen, B. Soep | |
| and JM. Mestdagh, Laser spectroscopic studies of the $E^1\Sigma^+$ 'Rydberg' state of the MgO | |
| molecule | 392 (2004) 62 |
| Wang, J., see Immaraporn, B. | 392 (2004) 127 |
| Wang, Y., see Wei, J. | 392 (2004) 415 |
| Wang, L., see Xiao, L. | 392 (2004) 452 |
| Wang, HM., see Sun, JL. | 392 (2004) 285 |
| Wang, Z., see Xiang, H. | 392 (2004) 80 |
| Wang, G., see Long, X. | 392 (2004) 192 |
| Watanabe, K., see Sawada, T. | 392 (2004) 334 |
| Wei, J., Z. Sun, F. Zhang, W. Xu, Y. Wang, F. Zhou and F. Gan, Thermal melting of solid | |
| materials induced by ultrafast laser pulse irradiation as explosively homogeneous nucleation Witte, T., J.S. Yeston, M. Motzkus, E.J. Heilweil and KL. Kompa, Femtosecond infrared | 392 (2004) 415 |
| coherent excitation of liquid phase vibrational population distributions ($v > 5$) | 392 (2004) 156 |
| Wright, T.G., E.P.F. Lee, M. Hotokka and P. Pyykkö, Al3+-He: stability and spectroscopy | 392 (2004) 281 |
| Wright, T.G., see Lee, E.P.F. | 392 (2004) 187 |
| Xiang, H., D. Liu, Z. Wang, Z. Li, W. Huang, H. Yang, Z. Guo and Q. Gong, Large difference of | |
| ultrafast third-order optical response between two C_{60} derivatives | 392 (2004) 80 |
| Xiao, L. and L. Wang, From planar to three-dimensional structural transition in gold clusters and | 072 (2001) 00 |
| the spin-orbit coupling effect | 392 (2004) 452 |
| Xu, H., see Han, J. | 392 (2004) 348 |
| Xu, W., see Wei, J. | 392 (2004) 415 |
| V N N N N T | 202 (2004) 202 |
| Yamana, Y., see Ibuki, T. | 392 (2004) 303 |
| Yamani, Z.H., see Gondal, M.A. | 392 (2004) 372 |
| Yanai, T., see Hachmann, J. | 392 (2004) 55 |
| Yang, H., see Xiang, H. | 392 (2004) 80 |
| Yang, S., see Sun, JL. | 392 (2004) 285 |
| Yencha, A.J., A.E.R. Malins and G.C. King, Threshold photoelectron spectroscopy of cyanogen bromide | 392 (2004) 202 |
| Yeston, J.S., see Witte, T. | 392 (2004) 156 |
| Yoon, M., see Miyamoto, Y. | 392 (2004) 209 |
| Yoshihiro, T., see Sato, F. | 392 (2004) 565 |
| You, H., see Fang, J. | 392 (2004) 11 |
| Yu, X., see Han, J. | 392 (2004) 348 |
| Z with E - D - A M | 202 (2004) 276 |
| Zavattini, E., see Bregant, M. | 392 (2004) 276 |
| Zavattini, G., see Bregant, M. | 392 (2004) 276 |

| Zerbi, G., see Lucotti, A. | 392 (2004) 549 |
|---|----------------|
| Zhang, F., see Wei, J. | 392 (2004) 415 |
| Zhang, B., see Tang, Y. | 392 (2004) 493 |
| Zhang, S., see Tang, Y. | 392 (2004) 493 |
| Zhang, H., see Burdzinski, G. | 392 (2004) 470 |
| Zhong, C., see Bu, X. | 392 (2004) 181 |
| Zhou, F., see Wei, J. | 392 (2004) 415 |
| Zhou, Z., see Du, D. | 392 (2004) 162 |
| Zhou, S., Universal calculational recipe for solvent-mediated potential: based on a combination | of |
| integral equation theory and density functional theory | 392 (2004) 110 |
| Zhu, R., see Tang, Y. | 392 (2004) 493 |
| Zhu, Z., see Han, J. | 392 (2004) 348 |
| Zinth, W., see Schrader, T. | 392 (2004) 358 |
| Zuowei, L., see Shuqin, G. | 392 (2004) 123 |

